## IFB # 14-07 BID PROPOSAL FORM ASPHALT REHABILITATIONIN VARIOUS STREETS IN CITY OF ROCKVILLE, MARYLAND

NO.	DESCRIPTION	UNIT	EST. QTY.	UNIT PRICE	TOTAL
1	Edge Mill existing roadways as specified	L.F.	385,000 F	1.00	108,000.0
2	Surface Mill up to ½" below gutter edge, full width of the street	S.Y.	54,500	2.00	109,000.6
3	2" (full-depth) surface milling of existing asphalt roadway surfaces	S. Y.	98,000	2,50	245,000.6
4	Furnishing minimum thickness (3/4"") SHA Surface Rehabilitation Mix in place, as specified.	Tons	10,500	70.00	735,000.0
5.	Furnish and install 2" Asphalt surface course as specified ( machine laid in bulk)	Ton	11,600	69.50	806,200.
6	Furnish and install 2" Asphalt Surface course as specified (by hand for misc. patch work only)	ton	100	60.00	6000,00
7	Labor cost for the installation of utility adjustment rings on manholes and valve boxes including the removal of any existing adjustment rings	each	100	25.00	2500.00
8	Physically adjust manholes to finished grade	each	75	200.00	1500 a
9	Physically adjust water valve boxes to finished grade	each	75	200.00	15,000.00
10	Provide temporary painted lane stripping as needed and/or directed by the City Inspector	L.F.	50,000	, 25	12,500-0
11	Miscellaneous Base Patching of existing asphalt roadways, as directed.	Ton	2,500	115.00	287,500
12	Furnish and install RC-6 Aggregate sub-base as directed by the City Inspector, including compaction.	Tons	100	25.00	2.500.00
13	Provide and Install "Pave-Prep" for crack repairs as specified	L. F.	4,500	1.00	4500.00
14	Remove and replace speed humps	each	1	750.00	750.00
15	Provide 1 VMS sign	day	400	15.∞	36,000.00
16	Remove (grind) stop bars and cross walks	L, F.	5,000	. 50	2500.00

TOTAL \$ 2,389,950.00

PROPOSAL 1

## IFB # 14-07 BID PROPOSAL FORM ASPHALT REHABILITATIONIN VARIOUS STREETS IN CITY OF ROCKVILLE, MARYLAND

ITEM NO.	DESCRIPTION	UNIT	EST. QTY.	UNIT PRICE	TOTAL
1	Edge Mill existing roadways as specified	L.F.	108,000	1.80	194,400,00
2	Surface Mill up to 1/3" below gutter edge, full width of the street	S.Y.	54,500	2,00	109,000,00
3	2" (full-depth) surface milling of existing asphalt roadway surfaces	S. Y.	98,000	2.25	220,500 <sup>ag</sup>
4	Furnishing minimum thickness (3/4"") SHA Surface Rehabilitation Mix in place, as specified.	Tons	10,500	82.°°	861,000,00
5.	Furnish and install 2" Asphalt surface course as specified (machine laid in bulk)	Ton	11,600	52.™	603,200, 5
6	Furnish and install 2" Asphalt Surface course as specified (by hand for misc. patch work only)	ton	100	125 00	12,500,00
7	Labor cost for the installation of utility adjustment rings on manholes and valve boxes including the removal of any existing adjustment rings	each	100	60,00	6,000.00
8	Physically adjust manholes to finished grade	each	75	470,00	35,250,00
Ŋ	Physically adjust water valve boxes to finished grade	each	75	340. ₾	25,500 ª
10	Provide temporary painted lane stripping as needed and/or directed by the City Inspector	L.F.	50,000	0,40	20,000,00
11	Miscellaneous Base Patching of existing asphalt roadways, as directed.	Ton	2,500	110,00	275,000,0
12	Furnish and install RC-6 Aggregate sub-base as directed by the City Inspector, including compaction.	Tons	100	27.50	2,750,00
13	Provide and Install "Pave-Prep" for crack repairs as specified	L. F.	4,500	4,25 4,000, ∞ 80, ∞ 5,25	19,125,0
14	Remove and replace speed humps	each	ı	4,000,00	4,000,00
15	Provide I VMS sign	day	400	80,00	32,000,00
16	Remove (grind) stop bars and cross walks	Ł., F.	5,000	5,25	26,250,00

TOTAL \$ 2,446,475,00

## IFB # 14-07 BID PROPOSAL FORM ASPHALT REHABILITATION IN VARIOUS STREETS IN CITY OF ROCKVILLE, MARYLAND

ITEM NO.	DESCRIPTION	UNIT	EST. QTY.	UNIT PRICE	TOTAL
l	Edge Mill existing roadways as specified	L.F.	108,000	\$2.65	\$286,200.00
2	Surface Mill ½" below gutter edge, full width of the street	S.Y.	54,500	\$2.90	\$158,050.00
3	2" (full-depth) surface milling of existing asphalt roadway surfaces	S.Y.	98,000	\$2.60	\$254,800.00
4	Furnishing minimum thickness (3/4") SHA Surface Rehabilitation Mix in place, as specified.	Tons	10,500	\$73.85	\$775,425.00
5	Furnish and install 2" Asphalt surface course as Specified (machine laid in bulk)	Ton	11,600	\$64.10	\$743,560.00
6	Physically adjust water valve boxes to finished grade	ton	100	\$89.80	\$8,980.00
7	Labor cost for the installation of utility adjustment rings on manholes and water valve boxes, including the removal of any existing adjustment rings	each	100	\$49.65	\$4,965.00
8	Physically adjust manholes to finished grade	each	75	\$382.00	\$28,650.00
9	Physically adjust water valve boxes to finished grade	each	75	\$239.00	\$17,925.00
10	Provide temporary painted lane stripping as needed and/or directed by the City Inspector	L.F.	50,000	\$0.40	\$20,000.00
11	Miscellaneous Base Patching of existing asphalt roadways, as directed.	Ton	2,500	\$152.00	\$380,000.00
12	Furnish and install RC-6 Aggregate sub-base as directed by the City Inspector, including compaction	Tons	100	\$88.00	\$8,800.00
13	Provide and Install "Pave-Prep" for crack repairs as specified	L.F.	4,500	\$2.90	\$13,050.00
14	Remove and replace speed humps	each	1	\$2,505.00	\$2,505.00
15	Provide I VMS sign	day	400	\$110.00	\$44,000.00
16	Remove (grind) stop bars and cross walks	L.F.	5,000	\$0.50	\$2,500.00

TOTAL \$ \_\_\_\_\_ \$2,749,410.00

PROPOSAL 1